

SPOTTED BUSH-WARBLER	<i>Bradypterus thoracicus</i>	1,27
BROWN BUSH-WARBLER	<i>Bradypterus luteoventris</i>	28
PADDYFIELD WARBLER	<i>Acrocephalus agricola</i>	17
THICK-BILLED WARBLER	<i>Acrocephalus aedon</i>	17
SMOKY WARBLER	<i>Phylloscopus fuligiventer</i>	9,36
BUFF-BARRED WARBLER	<i>Phylloscopus pulcher</i>	9,36
SPOT-BREASTED LAUGHINGTHRUSH	<i>Garrulax merulinus</i>	1,17
SCALY LAUGHINGTHRUSH	<i>Garrulax subunicolor</i>	1,2,13,28,48
BUFF-BREASTED BABBLER	<i>Pellorneum tickelli</i>	2,5,12,13,17,20,24,35,45
SPOT-THROATED BABBLER	<i>Pellorneum albiventre</i>	1,2,25
LARGE SCIMITAR-BABBLER	<i>Pomatorhinus hypoleucus</i>	12,17,20,36
SPOT-BREASTED SCIMITAR-BABBLER	<i>Pomatorhinus erythrocenesis</i>	36
*RUSTY-TIROTLED WREN-BABBLER	<i>Spelaeornis badeigularis</i>	2,34
YELLOW-EYED BABBLER	<i>Chrysomma sinense</i>	17
SLENDER-BILLED BABBLER	<i>Turdoides longirostris</i>	36
JUNGLE BABBLER	<i>Turdoides striatus</i>	13,36
STREAK-THROATED FULVETTA	<i>Alcippe cinereiceps</i>	37
RUSTY-CAPPED FULVETTA	<i>Alcippe dubia</i>	12,17,20,25
GREY SIBIA	<i>Heterophasia gracilis</i>	3,36
*BLACK-BREASTED PARROTBILL	<i>Paradoxornis flavirostris</i>	9,36
FULVOUS PARROTBILL	<i>Paradoxornis fulvifrons</i>	28
HORNED LARK	<i>Bremophila alpestris</i>	36
YELLOW-BILLED FLOWERPECKER	<i>Dicaeum melanoxanthum</i>	9,36
ORANGE-BILLED FLOWERPECKER	<i>Dicaeum trigonostigma</i>	36
PALE-BILLED FLOWERPECKER	<i>Dicaeum erythrorhynchos</i>	36
FOREST WAGTAIL	<i>Dendronanthus indicus</i>	17
RUFOUS-STREAKED ACCENTOR	<i>Prunella himalayana</i>	9,36
ROBIN ACCENTOR	<i>Prunella rubeculaoides</i>	26
TIBETAN SERIN	<i>Serinus thiberanus</i>	36
PLAIN MOUNTAIN-FINCH	<i>Leucosticte nemoricola</i>	17,28
CRIMSON ROSEFINCH	<i>Carpodacus rubescens</i>	28
RED-FRONTED ROSEFINCH	<i>Carpodacus puniceus</i>	9,36
RED CROSSBILL	<i>Loxia curvirostra</i>	36
CHESTNUT-EARED BUNTING	<i>Emberiza fucata</i>	36
CHESTNUT BUNTING	<i>Emberiza rutila</i>	37

Birds of Rajaji National Park, India

S. PANDEY, JUSTUS JOSHUA, N. D. RAI, D. MOHAN, G. S. RAWAT, K. SANKAR, M. V. KATTI, D. V. S. KHATI and A. J. T. JOHNSINGH

INTRODUCTION

Rajaji National Park ($29^{\circ}51'7''N$ to $30^{\circ}15'5''N$ and $77^{\circ}57'7''E$ to $78^{\circ}23'36''E$) is situated in the Shiwalik hills and outer Himalaya of Uttar Pradesh state of India. It is 820.2 km² in area and it spreads over the civil districts of Dehra Dun, Haridwar and Garhwal (Fig. 1). The tract is mainly hilly, traversed by a number of steep ridges and valleys alternating with each other. The river Ganges bisects the park.

STUDY AREA

The area to the west of the Ganges belongs to the Shiwalik chain of mountains and has a prominent north-west south-east ridge running through the middle of it. The area north of this ridge slopes gently into the Dehra Dun valley and is covered with dense Sal *Shorea robusta* forests. Champion and Seth (1968) classified it as Moist Shiwalik Sal Forest. The area south of the ridge has a jagged topography with a number of steep ridges which emerge from the main Shiwalik ridge and have narrow valleys between them, housing seasonally swift rivers locally called 'Rau' (dried river bed). The ridges are grassy with scattered tree growth. A strip of forest on flat ground forms the southern boundary of the park. The forest on the south of the main ridge can be termed as Dry Shiwalik Sal Forest according to Champion and Seth (1968). *Anogeissus latifolia* is abundant on slopes, associated with Sal in some places. The area east of the Ganges does not have a well defined main ridge. The northern part of this area belongs to the outer Himalaya. Numerous ridges run in various directions and there are some elevated flat areas. In general the forest varies from moist to dry and from mixed to nearly pure Sal forest, depending on the aspect and slope.

A substantial area of the park is comprised of river beds which remain dry for the greater part of the year. Some areas are under plantations of *Ailanthes excelsa*, *Tectona grandis*, *Haplophragma* etc. There is a barrage on the River Ganges near Haridwar city. The backwaters of the reservoir, as well as a small stretch of the river Ganges, lie in the national park. These water bodies attract a lot of resident and migratory waterbirds.

Rajaji has a typical continental climate, characterized by a distinct summer (March-June) and winter (October-February). The temperature




Figure 1. Rajaji National Park, India

varies from -1°C in winter to 44°C in summer. The average annual rainfall is around 2,000 mm, with most of it occurring during the south-west monsoon from July to September.

METHODS

Research on the contemporary status of the avifauna of Rajaji is lacking. In the first half of this century a comprehensive bird list for the Dehra Dun valley was prepared by Osmaston (1935). Dr Salim Ali and Dillon Ripley have made observations on the avifauna in Doon valley (Ali and Ripley 1983). The present bird records span a period of seven years (1986-1992). S.P. initiated the bird observations with A.J.T.J. in August-September 1986. Rai (1991) worked on bird species diversity in Rajaji N.P. as a part of his M.Sc. dissertation. J.J. has carried out observations in the National Park since 1989, covering all seasons and most of the areas. Other members have been contributing their observations from birding trips to Rajaji, which is only 20 km from the Wildlife Institute of India, Dehra Dun.

RESULTS

A total of 312 bird species has been recorded. Of these, 144 are residents, 89 are migrants, 53 are altitudinal migrants, 8 are local migrants and the status of the remaining 18 is unknown. Some species of birds are at the western edge of their distribution in Rajaji: Great Hornbill *Buceros bicornis* and Golden-fronted Leafbird *Chloropsis aurifrons*. The Green Magpie *Cissa chinensis* has been reported from forest adjoining the Rajaji National Park, an area which links it with Corbett National Park. The number of sightings for 20 birds are very high, 112 birds were seen quite regularly and 180 birds were seen intermittently. Four main parameters, i.e. habitat types, frequency of observation, migration status and season of observation were recorded at the time of making observations on birds in the field. The bird list appended has details of all these aspects.

REFERENCES

- Ali, S. and Ripley, S. D. (1983) *Handbook of the birds of India and Pakistan*. Compact Edition. New Delhi: Oxford University Press.
- Champion, H. G. and Seth, S. K. (1968) *A revised survey of the forest types of India*. New Delhi: Government of India.
- Osmaston, B. B. (1935) Birds of Dehra Dun and adjacent hills. *Indian Military Acad. J.* June 1935, supplement.
- Rai, N. D. (1991). A study of heterospecific flocking and nonbreeding bird community structure of Rajaji National Park, Dehra Dun. M.Sc. dissertation submitted to Saurashtra University, Rajkot (Gujarat), India. Unpublished.
- S. Pandey, Justus Joshua, N. D. Rai, G. S. Rawat, K. Sankar, M. V. Katti and A. J. T. Johnsingh, Wildlife Institute of India, Post Box No. 18, Dehra Dun-248 001, U.P., India.
- D. Mohan, Dy. Director, Nanda Devi Biosphere Reserve, Gopeshwar (Chamoli), U.P., India.
- D. V. S. Khati, Director, Rajaji National Park, Shiwalik House, 5-Ansari Road, Dehra Dun, India.

APPENDIX 1**BIRDS SEEN IN RAJAJI NATIONAL PARK 1986-1992**

	Month/ Season	Habitat	Abundance	Resident/ migrant
BLACK FRANCOLIN <i>Francolinus francolinus</i>	A	RG,SC	1	R
GREY FRANCOLIN <i>Francolinus pondicerianus</i>	A	SC,RG	2	R
JUNGLE BUSH-QUAIL <i>Perdicula asiatica</i>	A	SA,SC,RG	1	R
RED SPURFOWL <i>Galloperdix spadicea</i>	A	SA,SC	1	R
RED JUNGLEFOWL <i>Gallus gallus</i>	A	S,HM,SA,R,RG,SC,P	3	R
KALIJ PHEASANT <i>Lophura leucomelanos</i>	A	S,HM,SA,R,RG,SC,P	2	R
INDIAN PEAFOWL <i>Pavo cristatus</i>	A	S,HM,SA,R,RG,SC,P	3	R
RUDDY SHELDUCK <i>Tadorna ferruginea</i>	W	A	3	M
FALCATED DUCK <i>Anas falcata</i>	W	A	1	M
EURASIAN WIGEON <i>Anas penelope</i>	W	A	1	M
MALLARD <i>Anas platyrhynchos</i>	W	A	2	M
SPOT-BILLED DUCK <i>Anas poecilorhyncha</i>	W/S	A	2	M
NORTHERN SHOVELER <i>Anas clypeata</i>	W	A	1	M
NORTHERN PINTAIL <i>Anas acuta</i>	W	A	2	M
COMMON TEAL <i>Anas crecca</i>	W	A	3	M
RED-CRESTED POCHARD <i>Netta rufina</i>	W	A	1	M
COMMON POCHARD <i>Aythya ferina</i>	W	A	1	M
FERRUGINOUS POCHARD <i>Aythya nyroca</i>	W	A	1	M
TUFTED DUCK <i>Aythya fuligula</i>	W	A	1	M
COMMON MEGANSE <i>Mergus merganser</i>	W	A	2	M
EURASIAN WRYNECK <i>Jynx torquilla</i>	S	S,HM	1	M
GREY-CAPPED WOODPECKER <i>Dendrocopos canicapillus</i>	A	S,HM,SA,R,P	2	R
FULVOUS-BRISTLED WOODPECKER <i>Dendrocopos macei</i>	A	S,HM,SA,R,P	2	R
YELLOW-CROWNED WOODPECKER <i>Dendrocopos mahrattensis</i>	W	S,SA,HM,R	1	?
RUFous WOODPECKER <i>Celeus brachyurus</i>	S	S,SA,HM	1	?
LESSER YELLOWNAPE <i>Picus chlorolophus</i>	W/S	S,HM,SA,R	1	R
STREAK-THROATED WOODPECKER <i>Picus xanthopygaeus</i>	W/S	S,HM,SA,R	1	R
GREY-HEADED WOODPECKER <i>Picus canus</i>	W/S	S,HM,SA,R	1	R
HIMALAYAN FLAMEBACK <i>Dinopium shorii</i>	A	S,HM,SA,R,P	2	R
BLACK-RUMPED FLAMEBACK <i>Dinopium benghalense</i>	A	S,HM,SA,R,P,SC	3	R
GREATER FLAMEBACK <i>Chrysocolaptes lucidus</i>	A	S,HM,SA,R,P	1	R
WHITE-NAPED WOODPECKER <i>Chrysocolaptes festivus</i>	A	S,HM,SA,R,P	1	R
GREAT BARBET <i>Megalaima virens</i>	W	S,HM	1	AM
BROWN-HEADED BARBET <i>Megalaima zeylanica</i>	A	S,SA,HM,R,P	3	R
LINEATED BARBET <i>Megalaima lineata</i>	A	S,SA,HM,R	2	R
BLUE-THROATED BARBET <i>Megalaima asiatica</i>	W/S	S,HM,R,SA	1	R
COPPERSBIRD <i>Megalaima haemacephala</i>	A	HM,S,SA,R	2	R
INDIAN GREY-HORNBILL <i>Ocyphaps birostris</i>	A	S,SA,HM,R,P	3	R
ORIENTAL PIED-HORNBILL <i>Anthracoceros albirostris</i>	A	S,SA,HM,R,P	2	R
GREAT HORNBILL <i>Buceros bicornis</i>	W/S	S,HM,R	1	R?
EURASIAN HOOPOE <i>Upupa epops</i>	A	S,SA,RG,SC,D	2	R
INDIAN ROLLER <i>Coracias benghalensis</i>	A	S,SC,P,D,RG	2	R
DOLLARBIRD <i>Eurystomus orientalis</i>	A	SA,HM	1	R
COMMON KINGFISHER <i>Alcedo atthis</i>	A	A,RG	2	R
STORK-BILLED KINGFISHER <i>Pelargopsis capensis</i>	A	A,D,RG	1	R
WHITE-THROATED KINGFISHER <i>Halcyon smyrneensis</i>	A	A,S,SA,RG,P,SC	2	R
CRESTED KINGFISHER <i>Megaceryle lugubris</i>	W	A	1	AM
PIED KINGFISHER <i>Ceryle rudis</i>	A	A	2	R
BLUE-BEarded BEE-EATER <i>Nyctyornis athertoni</i>	A	S,SM,HM	1	R

LITTLE GREEN BEE-EATER <i>Merops orientalis</i>	A	S,SA,P,RG,D,SC	3	R
BLUE-TAILED BEE-EATER <i>Merops philippinus</i>	A	D,RG	3	R
CHESTNUT-HEADED BEE-EATER <i>Merops leschenaulti</i>	W/S	SA,RG,R	2	R
PIED CUCKOO <i>Oxylophus jacobinus</i>	S/M	S,SA,RG,SC	1	M
COMMON HAWK-CUCKOO <i>Cuculus varius</i>	A	S,HM,SA,R	1	R
INDIAN CUCKOO <i>Cuculus micropterus</i>	S	S,SA,HM,RG,SC,R,P	1	M
COMMON CUCKOO <i>Cuculus canorus</i>	S	S,SA,HM,RG,SC,R,P	1	M
LESSER CUCKOO <i>Cuculus poliocephalus</i>	M/W	S,SA,HM,RG,SC,R,P	1	M
GREY-BELLIED CUCKOO <i>Cacomantis passerinus</i>	S	S,SA,SC	1	M
DRONGO CUCKOO <i>Surniculus lugubris</i>	S	S,SA,HM	1	M
ASIAN KOEL <i>Eudynamys scolopaceus</i>	A	S,SA,R,P	2	R
SIRKEER MALKOH <i>Phaenicophaeus leschenaultii</i>	S	S,HM	1	M
GREATER COUCAL <i>Centropus sinensis</i>	A	SA,R,RG,SC	1	R
ALEXANDRINE PARAKEET <i>Psittacula eupatria</i>	A	S,SA	2	R
ROSE-RINGED PARAKEET <i>Psittacula krameri</i>	A	S,SA,HM,RG,SC,R,P	2	R
SLATY-HEADED PARAKEET <i>Psittacula himalayana</i>	W	S,SA,HM,RG,SC,R,P	3	AM
PLUM-HEADED PARAKEET <i>Psittacula cyanocephala</i>	A	S,SA,HM,RG,SC,R,P	2	R
ALPINE SWIFT <i>Tachymarptis melba</i>	A	D	2	R
LITTLE SWIFT <i>Apus affinis</i>	A	D	2	R
CRESTED TREESWIFT <i>Hemiprocne coronata</i>	S	S,SA	1	R
ROCK EAGLE-OWL <i>Bubo bengalensis</i>	S	S,SA	1	?
BROWN FISH-OWL <i>Ketupa seylensis</i>	A	S,HM,RG	1	R
JUNGLE OWLET <i>Glaucidium radiatum</i>	A	S,SA,HM,R,P	1	R
SPOTTED OWLET <i>Athene brama</i>	A	S,SA,D	2	R
BROWN HAWK OWL <i>Ninox scutulata</i>	A	SA	1	R
GREY NIGHTJAR <i>Caprimulgus indicus</i>	A	S,SA,RG,SC	1	R
LARGE-TAILED NIGHTJAR <i>Caprimulgus macrurus</i>	A	S,SA,RG,SC,P	2	R
INDIAN NIGHTJAR <i>Caprimulgus asiaticus</i>	S	SC	1	?
SAVANNA NIGHTJAR <i>Caprimulgus affinis</i>	A	S,HM,SA,RG,SC	1	R
ROCK PIGION <i>Columba livia</i>	A	D	2	R
ORIENTAL TURTLE-DOVE <i>Streptopelia orientalis</i>	A	S,SA,HM,SC,RG,P	2	R
LAUGHING DOVE <i>Streptopelia senegalensis</i>	A	S,SA,SC,RG	1	R
SPOTTED DOVE <i>Streptopelia chinensis</i>	A	S,SA,SC,HM,F,R,RG,D	3	R
RED COLLARED-DOVE <i>Streptopelia tranquebarica</i>	S/M	S,SA,RG,SC,P	1	M
EURASIAN COLLARED-DOVE <i>Streptopelia decaocto</i>	A	SA,RG,SC,P	2	R
EMERALD DOVE <i>Chalcophaps indica</i>	A	S	1	R
YELLOW-FOOTED GREEN-PIGEON <i>Treron phoenicoptera</i>	W/S	S,SA,R	2	M
WHITE-BREASTED WATERHEN <i>Amaurornis phoenicurus</i>	W/S	D	1	R
COMMON MOORHEN <i>Gallinula chloropus</i>	W/S	A	1	M
COMMON COOT <i>Fulica atra</i>	W	A	1	M
COMMON REDSHANK <i>Tringa totanus</i>	W	A	1	M
COMMON GREENSHANK <i>Tringa nebularia</i>	W/S	A,RG	1	M
NORDMANN'S GREENSHANK <i>Tringa guttifer</i>	W	A	1	M
GREEN SANDPIPER <i>Tringa ochropus</i>	W	S,SA,RG	1	M
WOOD SANDPIPER <i>Tringa glareola</i>	W	A,RG	1	M
COMMON SANDPIPER <i>Tringa hypoleucos</i>	W	A	1	M
LITTLE STINT <i>Calidris minuta</i>	W	A	1	M
EURASIAN THICK-KNEE <i>Burhinus oedicnemus</i>	S	SA,RG	1	?
GREAT THICK-KNEE <i>Burhinus recurvirostris</i>	A	R	2	R
BLACK-WINGED STILT <i>Himantopus himantopus</i>	W	A	1	M
LITTLE RINGED PLOVER <i>Charadrius dubius</i>	W/S	A,RG	1	M
NORTHERN LAPWING <i>Vanellus vanellus</i>	W	R	1	M
RIVER LAPWING <i>Vanellus duvaucelii</i>	A	R,RG	2	R
RED-WATTLED LAPWING <i>Vanellus indicus</i>	A	R,RG	2	R
SMALL PRATINCOLE <i>Glareola lactea</i>	S	A	1	M
YELLOW-LEGGED GULL <i>Larus cachinnans</i>	W	A	2	M
BROWN-HEADED GULL <i>Larus brunnicephalus</i>	W	A	1	M
BLACK-HEADED GULL <i>Larus ridibundus</i>	W	A	2	M

RIVER TERN <i>Sterna aurantia</i>				
LITTLE TERN <i>Sterna albifrons</i>	W	A	1	M
BLACK-BELLIED TERN <i>Sterna acuticauda</i>	W	A	1	M
OSPREY <i>Pandion haliaetus</i>	W	A	1	M
ORIENTAL HONEY-BUZZARD <i>Pernis ptilorhynchus</i>	A	HM,SA,SC	1	M
BLACK-WINGED KITE <i>Elanus caeruleus</i>	A	HM,SA,SC	1	R
BLACK KITE <i>Milvus migrans</i>	A	D	1	R
PALLAS'S SPA-EAGLE <i>Haliaeetus leucoryphus</i>	A	A	2	LM
LESSER FISH-EAGLE <i>Icthyophaga humilis</i>	W/S	A	2	R
EGYPTIAN VULTURE <i>Neophron percnopterus</i>	A	S,HM,SA,RG	1	R
WHITE-RUMPED VULTURE <i>Gyps bengalensis</i>	A	S,HM,SA,R,RG,SC,P	3	R
LONG-BILLED VULTURE <i>Gyps indicus</i>	W/S	S,HM,SA,R,RG	1	AM
HIMALAYAN GRIFFON <i>Gyps himalayensis</i>	W	RG	1	AM
EURASIAN GRIFFON <i>Gyps fulvus</i>	W	RG	1	AM
CINEROUS VULTURE <i>Aegypius monachus</i>	W	RG	1	AM
RED-HEADED VULTURE <i>Sarcogyps calvus</i>	A	S,HM,SA,R,RG,SC,P	1	AM
SHORT-TOED SNAKE-EAGLE <i>Circaetus gallicus</i>	A	S,HM	1	?
CRESTED SERPENT-EAGLE <i>Spilornis cheela</i>	A	S,HM,SA,R,RG,SC,P	2	R
WESTERN MARSH-HARRIER <i>Circus aeruginosus</i>	W	A,S,SA	1	M
SHRIKA <i>Accipiter badius</i>	A	HM,S,SA	2	R
EURASIAN SPARROWHAWK <i>Accipiter nisus</i>	A	HM,S,SA	1	R
NORTHERN GOSHAWK <i>Accipiter gentilis</i>	W/S	S,HM,RG,SC	1	?
WHITE-EYED BUZZARD <i>Buteastur teesa</i>	S	HM	1	?
BLACK EAGLE <i>Ictinaetus malayensis</i>	W/S	S,HM	1	AM
LESSER SPOTTED EAGLE <i>Aquila pomarina</i>	S	R	1	?
GREATER SPOTTED EAGLE <i>Aquila clanga</i>	A	R	1	R
CHANGEABLE HAWK-EAGLE <i>Spizaetus cirrhatus</i>	A	HM,S,SA	1	R
COMMON KESTREL <i>Falco tinnunculus</i>	A	RG	1	R
PEREGRINE FALCON <i>Falco peregrinus</i>	S	S,SA,SC,P,RG	1	AM
LITTLE GREBE <i>Tachybaptus ruficollis</i>	W	A	1	LM
GREAT CRESTED GREBE <i>Podiceps cristatus</i>	W	A	1	M
ORIENTAL DARTER <i>Anhinga melanogaster</i>	W	A	1	M
LITTLE CORMORANT <i>Phalacrocorax niger</i>	A	A	1	M
INDIAN CORMORANT <i>Phalacrocorax fuscicollis</i>	W	A	1	R
GREAT CORMORANT <i>Phalacrocorax carbo</i>	A	A	1	M
LITTLE EGRET <i>Egretta garzetta</i>	A	A	2	R
GRAY HERON <i>Ardea cinerea</i>	A	A	2	R
PURPLE HERON <i>Ardea purpurea</i>	W	A	2	R
GREAT EGRET <i>Casmerodius albus</i>	A	A	1	M
INTERMEDIATE EGRET <i>Mesophoyx intermedia</i>	A	A	2	R
CATTLE EGRET <i>Bubulcus ibis</i>	W/S	S,A,D,A	1	R
INDIAN POND-HERON <i>Ardeola grayii</i>	A	A,RRG	2	LM
STRIATED HERON <i>Butorides striatus</i>	W/S	R,RG	1	R
BLACK-CROWNED NIGHT-HERON <i>Nycticorax nycticorax</i>	W/S	A	1	M
PAINTED STORK <i>Mycteria leucocephala</i>	A	A	2	R
BLACK STORK <i>Ciconia nigra</i>	W/S	A,RG	2	M
BLACK-NECKED STORK <i>Ephippiorhynchus asiaticus</i>	W/S	A	1	M
INDIAN PITTA <i>Pitta brachyura</i>	W/S	S,HM,SA,R,RG,SC	2	M
GOLDEN-FRONTED LEAFBIRD <i>Chloropsis aurifrons</i>	A	S,SA,SC,R,P	1	R
ORANGE-BELLIED LEAFBIRD <i>Chloropsis hardwickii</i>	W	S,HM,R	1	M
ISABELLINE SHRIKE <i>Lanius isabellinus</i>	W/S	S,SA,RS,SC	1	M
BAY-BACKED SHRIKE <i>Lanius vittatus</i>	S	S,SA,RG,SC	1	M
LONG-TAILED SHRIKE <i>Lanius schach</i>	A	S,SA,RG,SC,P	2	R
NORTHERN SHRIKE <i>Lanius excubitor</i>	W	S,SA	1	?
GOLD-BILLED MAGPIE <i>Urocissa flavirostris</i>	W	S,HM	1	AM
BLUE MAGPIE <i>Urocissa erythrorhyncha</i>	W	S,HM	1	AM
GREEN MAGPIE <i>Cissa chinensis</i>	W	S	1	?
RUFous TREEPIE <i>Dendrocitta vagabunda</i>	A	S,SA,HM,R,P	2	R

GREY TREEPIE <i>Dendrocitta formosae</i>	W	S,SA,HM,R	1	AM
HOUSH CROW <i>Corvus splendens</i>	A	D	2	LM
LARGE-BILLED CROW <i>Corvus macrorhynchos</i>	A	S,SA,HM,R,P,RG,SC,D	2	R
ASHY WOOD-SWALLOW <i>Artamus fuscus</i>	W/S	S,SA,HM,R	1	?
EURASIAN GOLDEN-ORIOLE <i>Oriolus oriolus</i>	A	S,HM,SA,R,P	2	R
BLACK-FOOTED ORIOLE <i>Oriolus xanthornus</i>	A	S,HM,SA,R,P,SC	2	R
MAROON ORIOLE <i>Oriolus traillii</i>	W/S	S,HM,SA,P	1	AM
LARGE CUCKOO-SHRIKE <i>Coracina macei</i>	A	S,SA,HM,R,P	1	R
BLACK-HEADED CUCKOO-SHRIKE <i>Coracina melanoptera</i>	S	S,SA,R,SC	1	M
ROSY MINIVET <i>Pericrocotus roseus</i>	W	S,HM,R	2	AM
SMALL MINIVET <i>Pericrocotus cinnamomeus</i>	A	S,SH,SA,R,P	3	R
LONG-TAILED MINIVET <i>Pericrocotus ethologus</i>	W	S,SA,HM,R	1	M?
SCARLET MINIVET <i>Pericrocotus flammeus</i>	A	S,SA,HM,R,P	2	R
BAR-WINGED FLYCATCHER-SHRIKE <i>Hemipus picatus</i>	W	S,SA,SC	1	AM
YELLOW-BELLIED FANTAIL <i>Rhipidura hypoxantha</i>	W	S,SA,HM,R,P	1	AM
WHITE-THROATED FANTAIL <i>Rhipidura albicollis</i>	W/S	S,SA,HM,R,P,SC	2	M
WHITE-BROWED FANTAIL <i>Rhipidura aureola</i>	A	S,SA,SC	2	R
BLACK DRONGO <i>Dicrurus macrocercus</i>	A	P,SA,RG,SC,D	2	R
ASHY DRONGO <i>Dicrurus leucophaeus</i>	W	S,SA,HM,R	1	M
WHITE-BELLIED DRONGO <i>Dicrurus caerulescens</i>	A	S,SA,HM,R	1	R
HAIR-CRESTED DRONGO <i>Dicrurus hottentottus</i>	A	S,SA,HM,R,P	2	R
BLACK-NAPED MONARCH <i>Hypothymis asirea</i>	W	S,SA,R	1	M
ASIAN PARADISE-FLYCATCHER <i>Terpsiphone paradisi</i>	S	S,SA,HM,R,P,SC	2	M
COMMON IORA <i>Aegithina tiphia</i>	A	S,HM,SA,R,P	2	R
COMMON WOODSHRIKE <i>Tephrodornis pondicerianus</i>	A	SA,HM,R,SC,P	1	R
BROWN DIPPER <i>Cinclus pallasii</i>	W	A,RG	1	AM
BLUE-CAPPED ROCK-THRUSH <i>Monticola cinclorrhynchus</i>	W	D,R	1	AM
CHESTNUT-BELLIED ROCK-THRUSH <i>Monticola rufiventris</i>	W	HM	1	?
BLUE ROCK-THRUSH <i>Monticola solitarius</i>	W	S,HM	1	M
BLUE WHISTLING-THRUSH <i>Myiotheretes caeruleus</i>	W	S,HM,R,RG	2	AM
ORANGE-HEADED THRUSH <i>Zoothera citrina</i>	S	SA,R	1	M
SCALY THRUSH <i>Zoothera dauma</i>	W	SA,RG,SC	1	M
GREY-WINGED BLACKBIRD <i>Turdus boulboul</i>	W	S,RG,D,P	2	M
DARK-THROATED THRUSH <i>Turdus ruficollis</i>	W	RG,SC	2	M
DARK-SIDED FLYCATCHER <i>Muscicapa sibirica</i>	W	S,SA,SC,P,D	1	AM
ASIAN BROWN FLYCATCHER <i>Muscicapa dauurica</i>	W	S,SH,SA,SC,P,R	1	AM
RUFOUS-GORGED FLYCATCHER <i>Ficedula strophia</i>	W	S,HM,R	1	M
RED-BREASTED FLYCATCHER <i>Ficedula parva</i>	W	S,SH,SA,SC,P,R,D	2	AM
SNOWY-BROWED FLYCATCHER <i>Ficedula hyperythra</i>	W	S,R	1	M
ULTRAMARINE FLYCATCHER <i>Ficedula superciliaris</i>	W	R,SA,HM,P	1	M
SLATY-BLUE FLYCATCHER <i>Ficedula tricolor</i>	W	HM,SA,SC	1	AM
VERDITER FLYCATCHER <i>Eumyiias thalassina</i>	W	S,SA,HM,R,P	1	AM
RUFOUS-BELLIED NILTAVA <i>Niltava sundara</i>	W	S,SH,R	1	M
TICKELL'S BLUE-FLYCATCHER <i>Cyornis tickelliae</i>	W/S	S,SA,HM,R	1	AM
GREY-HEADED CANARY-FLYCATCHER <i>Guilicicapa ceylonensis</i>	W	S,SA,HM,R,P	2	AM
WHITE-BROWED BUSH-ROBIN <i>Tarsiger indicus</i>	W	HM	1	?
ORIENTAL MAGPIE-ROBIN <i>Copsychus saularis</i>	A	S,SA,HM,P,R,D,SC	2	R
WHITE-RUMPED SHAMA <i>Copsychus malabaricus</i>	W/S	S,R	1	M
INDIAN ROBIN <i>Saxicoloides fulicata</i>	A	D,SH,SA,RG,SC	2	R
BLACK REDSTART <i>Phoenicurus ochruros</i>	W/S	SC,RG	2	R
BLUE-CAPPED REDSTART <i>Phoenicurus caeruleocephalus</i>	W	HM	1	M
WHITE-CAPPED WATER-REDSTART <i>Chaimarrornis leucocephalus</i>	W	A,R	2	M
PLUMBEOUS WATER-REDSTART <i>Rhyacornis fuliginosus</i>	W	A,R	2	AM
SIBERIAN STONECHAT <i>Saxicola maura</i>	W	HM,RG,SC	1	M
PIED BUSHCHAT <i>Saxicola caprata</i>	A	HM,SA,RG,SC	2	R
GREY BUSHCHAT <i>Saxicola ferrea</i>	W	HM,SA,RG,SC	2	AM
RUFOUS-TAILED WHEATEAR <i>Oenanthe xanthopygia</i>	W	D	1	?
BROWN ROCKCHAT <i>Cercomela fusca</i>	A	HM,SA,P	1	R

CHESTNUT-TAILED STARLING <i>Sturnus malabaricus</i>	A	S, HM, SA, R	1	R
BRAHMINY STARLING <i>Sturnus pagodarum</i>	A	S, HM, SA, RG, SC	1	R
COMMON STARLING <i>Sturnus vulgaris</i>	W	R, RG	1	M
ASIAN PIED STARLING <i>Sturnus contra</i>	A	S, SA, RG, SC, P	2	R
COMMON MYNA <i>Acridotheres tristis</i>	A	S, SA, RG, SC, P, R	3	R
BANK MYNA <i>Acridotheres ginginianus</i>	A	D	2	R
JUNGLE MYNA <i>Acridotheres fuscus</i>	W/S	S, SA, R, HM	2	LM
CHESTNUT-BELLIED NUTHATCH <i>Sitta castanea</i>	A	S, SA, R, HM, P, SC	2	R
VELVET-FRONTED NUTHATCH <i>Sitta frontalis</i>	A	S, SA, R, HM, P	1	R
WALL-CREEPER <i>Tichodroma muraria</i>	W	HM, RG	1	M
BAR-TAILED TREE-CREEPER <i>Certhia himalayana</i>	W	S, SA, HM, R, P	1	M
RUSTY-FLANKED TREE-CREEPER <i>Certhia nipalensis</i>	W	S, SA, HM, R	1	AM
FIRE-CAPPED TIT <i>Cephalopyrus flammiceps</i>	A	S, SA, HM, R, SC, P	2	R
GREAT TIT <i>Parus major</i>	A	S, SA, HM, R, SC, P	1	AM
GREEN-BACKED TIT <i>Parus monticolus</i>	W	S, SA, R	2	R
SAND MARTIN <i>Riparia riparia</i>	A	R, D, A	2	R
PLAIN MARTIN <i>Riparia paludicola</i>	S	R, D, A	2	R
DUSKY Crag-MARTIN <i>Hirundo concolor</i>	A	R, D, A	2	R
BARN SWALLOW <i>Hirundo rustica</i>	A	S, SA, HM, RG, A, D	1	R
WIRE-TAILED SWALLOW <i>Hirundo smithii</i>	A	D, R, A, RG, SC	2	R
RED-RUMPED SWALLOW <i>Hirundo daurica</i>	A	D, A, RG, SC	2	R
STREAK-THROATED SWALLOW <i>Hirundo fluvicola</i>	W/S	D, SC	2	R
BLACK-CRESTED BULBUL <i>Pycnonotus melanoterus</i>	S, HM	1	AM	
HIMALAYAN BULBUL <i>Pycnonotus leucogenys</i>	A	S, SA, SC, P	1	R
RED-VENTED BULBUL <i>Pycnonotus cafer</i>	A	S, SA, HM, R, SC, P	3	R
BLACK BULBUL <i>Hypsipetes leucocephalus</i>	W	S, HM, R, P, SA	2	AM
STRIPED PRINIA <i>Prinia striata</i>	W	SC, RG	1	?
GREY-BREASTED PRINIA <i>Prinia hodgsonii</i>	A	SA, HM, RG, SC, P	3	R
JUNGLE PRINIA <i>Prinia sylvatica</i>	A	SA, RG	1	R
ASHY PRINIA <i>Prinia socialis</i>	A	SA, RG, SC, P	2	R
PLAIN PRINIA <i>Prinia inornata</i>	A	RG	1	R
ORIENTAL WHITE-EYE <i>Zosterops palpebrosus</i>	A	S, SA, HM, SC, R, P	2	R
PALE-FOOTED BUSHI-WARBLER <i>Cettia pallidipes</i>	W	SA, RG, SC, D	1	AM
BLYTH'S REED-WARBLER <i>Acrocephalus dumetorum</i>	W	P, SA, RG, SC, D	2	AM
BOOTED WARBLER <i>Hippolais caligata</i>	W	SA, RG, SC, D	2	AM
COMMON TAILORBIRD <i>Orthotomus sutorius</i>	A	SA, RG, SC, D, P	2	R
COMMON CHIFFCHAFF <i>Phylloscopus collybita</i>	W	P, SA, RG, SC, D, R	2	AM
DUSKY WARBLER <i>Phylloscopus fuscatus</i>	W	S, SA, HM, R	2	AM
SULPHUR-BELLIED WARBLER <i>Phylloscopus griseolus</i>	W	S, SA, HM, R	2	AM
PALE-RUMPED WARBLER <i>Phylloscopus chloronotus</i>	W	S, HM, SA, R	2	AM
Brooks's LEAF-WARBLER <i>Phylloscopus subviridis</i>	W	HM, R	1	AM
YELLOW-BROWED (INORNATE) WARBLER <i>Phylloscopus inornatus</i>	W	S, SA, R	2	AM
GREENISH WARBLER <i>Phylloscopus trochiloides</i>	W	S, SA, HM, R, P, SC	3	AM
TYTLER'S LEAF-WARBLER <i>Phylloscopus tytleri</i>	W	S, HM, SA, R	2	AM
WESTERN CROWNED-WARBLER <i>Phylloscopus occipitalis</i>	W	S, SA, HM, R	1	AM
GOLDEN-SPECTACLED WARBLER <i>Seicercus burkii</i>	W	S, SA, HM, P	1	AM
GREY-HOODED WARBLER <i>Seicercus xanthoschistos</i>	W	S, HM, SA, R	1	AM
WHITE-THROATED LAUGHINGTHRUSH <i>Garrulax albogularis</i>	W	S, HM, R	1	?
WHITE-CRESTED LAUGHINGTHRUSH <i>Garrulax leucolophus</i>	W/S	S, HM	1	M
PUFF-THROATED BABBLER <i>Pellorneum ruficeps</i>	W	S, R	1	LM
RUSTY-CHEEKED SCIMITAR-BABBLER <i>Pomatorhinus erythrogenys</i>	W	SC, RG	1	R
SCALY-BREASTED WREN-BABBLER <i>Phoenopaga albiventer</i>	W	S	1	AM
BLACK-CHINNED BABBLER <i>Stachyris pyrrhopsis</i>	A	SA, SC	1	R
TAWNY-BELLIED BABBLER <i>Dumetia hyperythra</i>	A	S, SA, SC	1	R
YELLOW-EYED BABBLER <i>Chrysomma sinense</i>	A	SA, SC, P	2	R
COMMON BABBLER <i>Turdoides caudatus</i>	A	S, SA, SC, RC, P	3	R
LARGE GREY BABBLER <i>Turdoides malcolmi</i>	A	SA, SC, P, S	1	R
JUNGLE BABBLER <i>Turdoides striatus</i>	A	S, HM, SA, R, SC, P	2	R
LESSER WHITETHROAT <i>Sylvia communis</i>	W	S, RG, SA, D, P	2	AM

ASHY-CROWNED SPARROW-LARK <i>Bremopterix grisea</i>	A	D	1	LM
SAND LARK <i>Calandrella rufa</i>	A	R, RG, SC	2	R
EURASIAN SKYLARK <i>Alauda arvensis</i>	S	RG	1	M
THICK-BILLED FLOWERPECKER <i>Dicaeum agile</i>	A	SA, R, S, HM	1	R
PALE-BILLED FLOWERPECKER <i>Dicaeum erythrorhynchos</i>	A	P, SA, R, HM	1	R
FIRE-BREASTED FLOWERPECKER <i>Dicaeum ignipictus</i>	W	RG, SA	1	AM
PURPLE SUNBIRD <i>Nectarinia asiatica</i>	A	SA, HM, R, SC	2	R
BLACK-THROATED SUNBIRD <i>Aethopyga saturata</i>	W	SA, HM	1	M
CRIMSON SUNBIRD <i>Aethopyga siparaja</i>	W	SA, HM, SC	2	M
HOUSE SPARROW <i>Passer domesticus</i>	A	D	3	R
EURASIAN TREE SPARROW <i>Passer montanus</i>	W	D	1	?
CHESTNUT-SHOULDERED PETRONIA <i>Petronia xanthocollis</i>	A	S, SA, HM, P	2	R
WHITE WAGTAIL <i>Motacilla alba</i>	W	RG, R	2	M
WHITE-BROWED WAGTAIL <i>Motacilla maderaspatensis</i>	A	RG, R	3	R
YELLOW WAGTAIL <i>Motacilla flava</i>	W	RG, R	1	M
GREY WAGTAIL <i>Motacilla cinerea</i>	W	RG, R	1	AM
PADDYFIELD PIPIIT <i>Anthus rufulus</i>	A	RG	1	LM
TAWNY PIPIIT <i>Anthus campestris</i>	W	RG	1	M
LONG-BILLED PIPIIT <i>Anthus similis</i>	W	SA, HM	1	M
TREE PIPIIT <i>Anthus trivialis</i>	W	RG	2	AM
OLIVE-BACKED PIPIIT <i>Anthus hodgsoni</i>	W	S, SA, R, SC	2	M
BAYA Weaver <i>Ploceus philippinus</i>	A	RG	1	R
RED AVADAVAT <i>Amandava amandava</i>	A	SA, P, SC, RG	2	R
WHITE-THROATED SILVERBILL <i>Lonchura malabarica</i>	A	SA, SC, RG	1	R
SCALY-BREASTED MUNIA <i>Lonchura punctulata</i>	A	SA, SC, RG	2	R
BLACK-HEADED MUNIA <i>Lonchura malaca</i>	A	SA, RG, SC	1	R
COMMON ROSEFINCH <i>Carpodacus erythrinus</i>	W	RG, SC	2	M
PINE BUNTING <i>Emberiza leucocephala</i>	W	RG, D	1	AM
CHESTNUT-BREASTED BUNTING <i>Emberiza stewarti</i>	W	RG, SC	2	AM
REED BUNTING <i>Emberiza schoeniclus</i>	W	RG, SC	1	M

Season:

W = Winter

S = Summer

M = Monsoon

A = All through the year

Habitat:

A = Aquatic

R = Raus (dried river bed)

G = Grass

S = Sal *Shorea robusta* forest

D = Disturbed (human settlements and cultivation) and open areas

HM = Hills with mixed forests

P = Plantation

SC = Scrubland

RG = Raus and grassy banks

SA = *Shorea* and *Anogeissus* mixed.**Abundance Rating:**

1 = Birds seen intermittently

2 = Birds seen quite regularly

3 = Birds with very high sightings

Migration Status:

M = Migrant

R = Resident

LM = Local Migrant

AM = Altitudinal Migrant

? = Status not known